## PRE-DISASTER EMERGENCY ANIMAL SHELTER ASSESSMENT FORM

For Rapid Evaluation of Emergency Shelter Locations Before Disasters

Facility Name:				Facility Primary Point of Contact (POC) Name:			
Street Address:				POC Phone:			
City, State, Zip:	Pho	one:		POC Email:			
II. ASSESSOR							
Assessor Name:				Phone:	ate Assess	ed:	
Agency/Organization							
and Title:				Email: T	ime Assess	ed:	
III. FLOORING				V. UTILITIES			
Best Option	r			WATER			
Concrete or Cement	□ Yes	□ No	□ Unk/NA	Hot running water	□ Yes	🗆 No	□ Unk/NA
Poured non-porous floor	□ Yes		□ Unk/NA	Cold running water	□ Yes		Unk/NA
•				Waste water/sewer drainage	□ Yes		□ Unk/NA
Other non-porous floor (i.e., tile; something that can be disinfected with bleach)	Yes	🗆 No	Unk/NA	Potable water hose spigots (Hot/Cold, #Inside #Outside)	□ Yes		
י אל כמסג הסגר הסגר הסגר הסגר הסגר הסגר הסגר הס		1	(*)				
Okay (with constant replacement, maintenance, up			,	POWER		N I	
Dirt Maad (i.e. sum flaar)			Unk/NA	Air conditioning	□ Yes		Unk/NA
Wood (i.e., gym floor)		□ No	Unk/NA	Heat	□ Yes	□ No	Unk/NA
Tarp	□ Yes	□ No	Unk/NA	Fan or other airflow	□ Yes	□ No	Unk/NA
Shavings	□ Yes	□ No	Unk/NA	Electrical outlets - #:	□ Yes	□ No	Unk/NA
Plastic	□ Yes	□ No	Unk/NA	Access to breaker box/fuses	□ Yes	□ No	Unk/NA
Other	r 🗆 Yes	□ No	□ Unk/NA	Ability to turn off selected lighting	□ Yes	🗆 No	□ Unk/NA
Poor (Not preferred; poor sanitation/disease contro	l capabiliti	es)		Ability to dim lighting	□ Yes	🗆 No	□ Unk/NA
Carpet	Yes	🗆 No	Unk/NA	Generator on site	□ Yes	🗆 No	□ Unk/NA
Other	Yes	🗆 No	Unk/NA	Generator designated for site	□ Yes	🗆 No	□ Unk/NA
Flooring Notes (Square footage, any needed mod	difications)			Facility pre-wired for generator	□ Yes	🗆 No	Unk/NA
0 11 07 7	,						
				VI. WASTE			
				VI. WASTE Portable bathrooms	□ Yes	🗆 No	Unk/NA
				Portable bathrooms			
				Portable bathrooms Outside space for portable bathrooms	□ Yes	□ No	Unk/NA
IV SPACE				Portable bathrooms Outside space for portable bathrooms Trash cans (#Inside #Outside)	□ Yes □ Yes	□ No □ No	□ Unk/NA □ Unk/NA
				Portable bathrooms Outside space for portable bathrooms Trash cans (#Inside #Outside) Dumpster - #:	□ Yes	□ No □ No	□ Unk/NA □ Unk/NA
ANIMAL NEEDS		No	□ I Ink/NA	Portable bathrooms Outside space for portable bathrooms Trash cans (#Inside #Outside) Dumpster - #: VII. ACCESS	□ Yes □ Yes □ Yes	□ No □ No □ No	□ Unk/NA □ Unk/NA □ Unk/NA
ANIMAL NEEDS Intake area	□ Yes	□ No □ No	□ Unk/NA □ Unk/NA	Portable bathrooms Outside space for portable bathrooms Trash cans (#Inside #Outside) Dumpster - #: VII. ACCESS Easy access and exit for staff	□ Yes □ Yes □ Yes	<ul> <li>No</li> <li>No</li> <li>No</li> <li>No</li> </ul>	Unk/NA Unk/NA Unk/NA Unk/NA
ANIMAL NEEDS Intake area Animal housing area	□ Yes □ Yes		□ Unk/NA □ Unk/NA	Portable bathrooms Outside space for portable bathrooms Trash cans (#Inside #Outside) Dumpster - #: VII. ACCESS Easy access and exit for staff Easy access and exit for public with animals	<ul> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> </ul>	<ul> <li>No</li> <li>No</li> <li>No</li> <li>No</li> <li>No</li> </ul>	Unk/NA Unk/NA Unk/NA Unk/NA
ANIMAL NEEDS Intake area Animal housing area #Rooms: # Sq. Ft.:	□ Yes	□ No	□ Unk/NA	Portable bathrooms Outside space for portable bathrooms Trash cans (#Inside #Outside) Dumpster - #: VII. ACCESS Easy access and exit for staff Easy access and exit for public with animals Easy access and exit for animal transport vehicles	<ul> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> </ul>	<ul> <li>No</li> <li>No</li> <li>No</li> <li>No</li> <li>No</li> <li>No</li> <li>No</li> </ul>	<ul> <li>Unk/NA</li> <li>Unk/NA</li> <li>Unk/NA</li> <li>Unk/NA</li> <li>Unk/NA</li> <li>Unk/NA</li> </ul>
ANIMAL NEEDS Intake area Animal housing area #Rooms: # Sq. Ft.: Adequate space to separate species	□ Yes	□ No	□ Unk/NA □ Unk/NA	Portable bathrooms Outside space for portable bathrooms Trash cans (#Inside #Outside) Dumpster - #: VII. ACCESS Easy access and exit for staff Easy access and exit for public with animals Easy access and exit for animal transport vehicles Adequate parking (MINIMUM 20 spots)	<ul> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> </ul>	<ul> <li>No</li> <li>No</li> <li>No</li> <li>No</li> <li>No</li> <li>No</li> <li>No</li> </ul>	<ul> <li>Unk/NA</li> <li>Unk/NA</li> <li>Unk/NA</li> <li>Unk/NA</li> <li>Unk/NA</li> <li>Unk/NA</li> <li>Unk/NA</li> </ul>
ANIMAL NEEDS Intake area Animal housing area #Rooms: # Sq. Ft.: Adequate space to separate species Adequate space for vet clinic (separate, quiet room with hot & cold water, exam table space)	□ Yes □ Yes □ Yes	□ No □ No □ No	□ Unk/NA □ Unk/NA □ Unk/NA	Portable bathrooms Outside space for portable bathrooms Trash cans (#Inside #Outside) Dumpster - #: VII. ACCESS Easy access and exit for staff Easy access and exit for public with animals Easy access and exit for animal transport vehicles	<ul> <li>Yes</li> </ul>	<ul> <li>No</li> <li>No</li> <li>No</li> <li>No</li> <li>No</li> <li>No</li> <li>No</li> </ul>	<ul> <li>Unk/NA</li> <li>Unk/NA</li> <li>Unk/NA</li> <li>Unk/NA</li> <li>Unk/NA</li> <li>Unk/NA</li> <li>Unk/NA</li> </ul>
ANIMAL NEEDS Intake area Animal housing area #Rooms: # Sq. Ft.: Adequate space to separate species Adequate space for vet clinic (separate, quiet room with hot & cold water, exam table space) Vet clinic space can accommodate supplemental lighting (has electrical outlets)	<ul> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> </ul>	<ul> <li>No</li> <li>No</li> <li>No</li> <li>No</li> </ul>	<ul> <li>Unk/NA</li> <li>Unk/NA</li> <li>Unk/NA</li> <li>Unk/NA</li> </ul>	Portable bathrooms Outside space for portable bathrooms Trash cans (#Inside#Outside) Dumpster - #: VII. ACCESS Easy access and exit for staff Easy access and exit for public with animals Easy access and exit for animal transport vehicles Adequate parking (MINIMUM 20 spots) Ability for public to access building separately from staff (n required) Restrooms for public use away from animal sheltering spa	<ul> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>ce</li> <li>Yes</li> </ul>	<ul> <li>No</li> <li>No</li> <li>No</li> <li>No</li> <li>No</li> <li>No</li> <li>No</li> <li>No</li> <li>No</li> </ul>	<ul> <li>Unk/NA</li> <li>Unk/NA</li> <li>Unk/NA</li> <li>Unk/NA</li> <li>Unk/NA</li> <li>Unk/NA</li> <li>Unk/NA</li> <li>Unk/NA</li> <li>Unk/NA</li> </ul>
ANIMAL NEEDS Intake area Animal housing area #Rooms: # Sq. Ft.: Adequate space to separate species Adequate space for vet clinic (separate, quiet room with hot & cold water, exam table space) Vet clinic space can accommodate supplemental lighting (has electrical outlets) Space to bathe/clean animals	<ul> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> </ul>	<ul> <li>No</li> <li>No</li> <li>No</li> <li>No</li> <li>No</li> </ul>	<ul> <li>Unk/NA</li> <li>Unk/NA</li> <li>Unk/NA</li> <li>Unk/NA</li> </ul>	Portable bathrooms Outside space for portable bathrooms Trash cans (#Inside#Outside) Dumpster - #: VII. ACCESS Easy access and exit for staff Easy access and exit for public with animals Easy access and exit for animal transport vehicles Adequate parking (MINIMUM 20 spots) Ability for public to access building separately from staff (n required) Restrooms for public use away from animal sheltering spa Large truck/trailer access	<ul> <li>Yes</li> </ul>	<ul> <li>No</li> </ul>	<ul> <li>Unk/NA</li> </ul>
ANIMAL NEEDS Intake area Animal housing area #Rooms: # Sq. Ft.: Adequate space to separate species Adequate space for vet clinic (separate, quiet room with hot & cold water, exam table space) Vet clinic space can accommodate supplemental lighting (has electrical outlets) Space to bathe/clean animals Floor drains	<ul> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> </ul>	<ul> <li>No</li> <li>No</li> <li>No</li> <li>No</li> <li>No</li> <li>No</li> </ul>	<ul> <li>Unk/NA</li> <li>Unk/NA</li> <li>Unk/NA</li> <li>Unk/NA</li> <li>Unk/NA</li> <li>Unk/NA</li> </ul>	Portable bathrooms Outside space for portable bathrooms Trash cans (#Inside #Outside) Dumpster - #: VII. ACCESS Easy access and exit for staff Easy access and exit for public with animals Easy access and exit for animal transport vehicles Adequate parking (MINIMUM 20 spots) Ability for public to access building separately from staff (n required) Restrooms for public use away from animal sheltering spa Large truck/trailer access Loading dock or bay	<ul> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>ce</li> <li>Yes</li> </ul>	<ul> <li>No</li> <li>No</li> <li>No</li> <li>No</li> <li>No</li> <li>No</li> <li>No</li> <li>No</li> <li>No</li> </ul>	<ul> <li>Unk/NA</li> </ul>
ANIMAL NEEDS Intake area Animal housing area #Rooms: # Sq. Ft.: Adequate space to separate species Adequate space for vet clinic (separate, quiet room with hot & cold water, exam table space) Vet clinic space can accommodate supplemental lighting (has electrical outlets) Space to bathe/clean animals	<ul> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> </ul>	<ul> <li>No</li> <li>No</li> <li>No</li> <li>No</li> <li>No</li> <li>No</li> <li>No</li> <li>No</li> </ul>	<ul> <li>Unk/NA</li> <li>Unk/NA</li> <li>Unk/NA</li> <li>Unk/NA</li> <li>Unk/NA</li> <li>Unk/NA</li> <li>Unk/NA</li> </ul>	Portable bathrooms Outside space for portable bathrooms Trash cans (#Inside #Outside) Dumpster - #: VII. ACCESS Easy access and exit for staff Easy access and exit for public with animals Easy access and exit for animal transport vehicles Adequate parking (MINIMUM 20 spots) Ability for public to access building separately from staff (n required) Restrooms for public use away from animal sheltering spa Large truck/trailer access Loading dock or bay Roll up or large doors for deliveries	<ul> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>ce</li> <li>Yes</li> <li>Yes</li> </ul>	<ul> <li>No</li> </ul>	<ul> <li>Unk/NA</li> </ul>
ANIMAL NEEDS Intake area Animal housing area #Rooms: # Sq. Ft.: Adequate space to separate species Adequate space for vet clinic (separate, quiet room with hot & cold water, exam table space) Vet clinic space can accommodate supplemental lighting (has electrical outlets) Space to bathe/clean animals Floor drains Sinks	<ul> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> </ul>	<ul> <li>No</li> <li>No</li> <li>No</li> <li>No</li> <li>No</li> <li>No</li> <li>No</li> <li>No</li> </ul>	<ul> <li>Unk/NA</li> <li>Unk/NA</li> <li>Unk/NA</li> <li>Unk/NA</li> <li>Unk/NA</li> <li>Unk/NA</li> </ul>	Portable bathrooms Outside space for portable bathrooms Trash cans (#Inside #Outside) Dumpster - #: VII. ACCESS Easy access and exit for staff Easy access and exit for public with animals Easy access and exit for animal transport vehicles Adequate parking (MINIMUM 20 spots) Ability for public to access building separately from staff (n required) Restrooms for public use away from animal sheltering spa Large truck/trailer access Loading dock or bay	<ul> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>ce</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> </ul>	<ul> <li>No</li> </ul>	<ul> <li>Unk/NA</li> </ul>
ANIMAL NEEDS Intake area Animal housing area #Rooms: # Sq. Ft.: Adequate space to separate species Adequate space for vet clinic (separate, quiet room with hot & cold water, exam table space) Vet clinic space can accommodate supplemental lighting (has electrical outlets) Space to bathe/clean animals Floor drains Sinks	<ul> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> <li>Yes</li> </ul>	<ul> <li>No</li> <li>No</li> <li>No</li> <li>No</li> <li>No</li> <li>No</li> <li>No</li> <li>No</li> <li>No</li> </ul>	<ul> <li>Unk/NA</li> <li>Unk/NA</li> <li>Unk/NA</li> <li>Unk/NA</li> <li>Unk/NA</li> <li>Unk/NA</li> <li>Unk/NA</li> </ul>	Portable bathrooms Outside space for portable bathrooms Trash cans (#Inside #Outside) Dumpster - #: VII. ACCESS Easy access and exit for staff Easy access and exit for public with animals Easy access and exit for animal transport vehicles Adequate parking (MINIMUM 20 spots) Ability for public to access building separately from staff (n required) Restrooms for public use away from animal sheltering spa Large truck/trailer access Loading dock or bay Roll up or large doors for deliveries	<ul> <li>Yes</li> </ul>	<ul> <li>No</li> </ul>	<ul> <li>Unk/NA</li> </ul>
ANIMAL NEEDS Intake area Animal housing area #Rooms: # Sq. Ft.: Adequate space to separate species Adequate space for vet clinic (separate, quiet room with hot & cold water, exam table space) Vet clinic space can accommodate supplemental lighting (has electrical outlets) Space to bathe/clean animals Floor drains Sinks Space for Sanitation <i>(to clean cages, bowls)</i>	<ul> <li>Yes</li> </ul>	<ul> <li>No</li> </ul>	<ul> <li>Unk/NA</li> <li>Unk/NA</li> <li>Unk/NA</li> <li>Unk/NA</li> <li>Unk/NA</li> <li>Unk/NA</li> <li>Unk/NA</li> <li>Unk/NA</li> <li>Unk/NA</li> </ul>	Portable bathrooms Outside space for portable bathrooms Trash cans (#Inside #Outside) Dumpster - #: VII. ACCESS Easy access and exit for staff Easy access and exit for public with animals Easy access and exit for animal transport vehicles Adequate parking (MINIMUM 20 spots) Ability for public to access building separately from staff (n required) Restrooms for public use away from animal sheltering spa Large truck/trailer access Loading dock or bay Roll up or large doors for deliveries Handicap accessible	<ul> <li>Yes</li> </ul>	<ul> <li>No</li> </ul>	<ul> <li>Unk/NA</li> </ul>
ANIMAL NEEDS Intake area Animal housing area #Rooms: # Sq. Ft.: Adequate space to separate species Adequate space for vet clinic (separate, quiet room with hot & cold water, exam table space) Vet clinic space can accommodate supplemental lighting (has electrical outlets) Space to bathe/clean animals Floor drains Sinks Space for Sanitation ( <i>to clean cages, bowls</i> ) Floor drains Sinks/large area for tubs	<ul> <li>Yes</li> </ul>	<ul> <li>No</li> </ul>	<ul> <li>Unk/NA</li> </ul>	Portable bathrooms Outside space for portable bathrooms Trash cans (#Inside#Outside) Dumpster - #: VII. ACCESS Easy access and exit for staff Easy access and exit for public with animals Easy access and exit for animal transport vehicles Adequate parking (MINIMUM 20 spots) Ability for public to access building separately from staff (n required) Restrooms for public use away from animal sheltering spa Large truck/trailer access Loading dock or bay Roll up or large doors for deliveries Handicap accessible VIII. SECURITY	<ul> <li>Yes</li> </ul>	<ul> <li>No</li> </ul>	<ul> <li>Unk/NA</li> </ul>
ANIMAL NEEDS Intake area Animal housing area #Rooms: # Sq. Ft.: Adequate space to separate species Adequate space for vet clinic (separate, quiet room with hot & cold water, exam table space) Vet clinic space can accommodate supplemental lighting (has electrical outlets) Space to bathe/clean animals Floor drains Sinks Space for Sanitation ( <i>to clean cages, bowls</i> ) Floor drains Sinks/large area for tubs Space for daily animal food storage	<ul> <li>Yes</li> </ul>	<ul> <li>No</li> </ul>	<ul> <li>Unk/NA</li> </ul>	Portable bathrooms Outside space for portable bathrooms Trash cans (#Inside#Outside) Dumpster - #: VII. ACCESS Easy access and exit for staff Easy access and exit for public with animals Easy access and exit for animal transport vehicles Adequate parking (MINIMUM 20 spots) Ability for public to access building separately from staff (n required) Restrooms for public use away from animal sheltering spattare Large truck/trailer access Loading dock or bay Roll up or large doors for deliveries Handicap accessible VIII. SECURITY Ability to shut all doors with NO impacts to air flow	<ul> <li>Yes</li> </ul>	<ul> <li>No</li> </ul>	<ul> <li>Unk/NA</li> </ul>
ANIMAL NEEDS Intake area Animal housing area #Rooms: # Sq. Ft.: Adequate space to separate species Adequate space for vet clinic (separate, quiet room with hot & cold water, exam table space) Vet clinic space can accommodate supplemental lighting (has electrical outlets) Space to bathe/clean animals Floor drains Sinks Space for Sanitation (to clean cages, bowls) Floor drains Sinks/large area for tubs Space for daily animal food storage Space for warehousing/donations	<ul> <li>Yes</li> </ul>	<ul> <li>No</li> </ul>	<ul> <li>Unk/NA</li> </ul>	Portable bathrooms Outside space for portable bathrooms Trash cans (#Inside#Outside) Dumpster - #: VII. ACCESS Easy access and exit for staff Easy access and exit for public with animals Easy access and exit for animal transport vehicles Adequate parking (MINIMUM 20 spots) Ability for public to access building separately from staff (n required) Restrooms for public use away from animal sheltering spa Large truck/trailer access Loading dock or bay Roll up or large doors for deliveries Handicap accessible VIII. SECURITY Ability to shut all doors with NO impacts to air flow Ability to lock all exterior doors	<ul> <li>Yes</li> </ul>	<ul> <li>No</li> </ul>	Unk/NA
ANIMAL NEEDS Intake area Animal housing area #Rooms: # Sq. Ft.: Adequate space to separate species Adequate space for vet clinic (separate, quiet room with hot & cold water, exam table space) Vet clinic space can accommodate supplemental lighting (has electrical outlets) Space to bathe/clean animals Floor drains Sinks Space for Sanitation ( <i>to clean cages, bowls</i> ) Floor drains Sinks/large area for tubs Space for daily animal food storage Space for warehousing/donations STAFF/VOLUNTEER NEEDS	<ul> <li>Yes</li> </ul>	<ul> <li>No</li> </ul>	<ul> <li>Unk/NA</li> </ul>	Portable bathrooms Outside space for portable bathrooms Trash cans (#Inside#Outside) Dumpster - #: VII. ACCESS Easy access and exit for staff Easy access and exit for public with animals Easy access and exit for animal transport vehicles Adequate parking (MINIMUM 20 spots) Ability for public to access building separately from staff (n required) Restrooms for public use away from animal sheltering spattarge truck/trailer access Loading dock or bay Roll up or large doors for deliveries Handicap accessible VIII. SECURITY Ability to shut all doors with NO impacts to air flow Ability to lock all exterior doors Lockable supply room Describe Security Considerations - For safety of the public of security: number of security personnel that may be needed, ov	<ul> <li>Yes</li> </ul>	<ul> <li>No</li> </ul>	<ul> <li>Unk/NA</li> </ul>
ANIMAL NEEDS Intake area Animal housing area #Rooms: # Sq. Ft.: Adequate space to separate species Adequate space for vet clinic (separate, quiet room with hot & cold water, exam table space) Vet clinic space can accommodate supplemental lighting (has electrical outlets) Space to bathe/clean animals Floor drains Sinks Space for Sanitation ( <i>to clean cages, bowls</i> ) Floor drains Sinks/large area for tubs Space for daily animal food storage Space for warehousing/donations <b>STAFF/VOLUNTEER NEEDS</b> Bathrooms - #:	<ul> <li>Yes</li> </ul>	<ul> <li>No</li> </ul>	<ul> <li>Unk/NA</li> </ul>	Portable bathrooms Outside space for portable bathrooms Trash cans (#Inside#Outside) Dumpster - #: VII. ACCESS Easy access and exit for staff Easy access and exit for public with animals Easy access and exit for animal transport vehicles Adequate parking (MINIMUM 20 spots) Ability for public to access building separately from staff (n required) Restrooms for public use away from animal sheltering spattarge truck/trailer access Loading dock or bay Roll up or large doors for deliveries Handicap accessible VIII. SECURITY Ability to shut all doors with NO impacts to air flow Ability to lock all exterior doors Lockable supply room Describe Security Considerations - For safety of the public of security: number of security personnel that may be needed, ov entry to manage crowd control, perimeter fencing or space to erec	<ul> <li>Yes</li> </ul>	<ul> <li>No</li> </ul>	<ul> <li>Unk/NA</li> <li>Excribe type res, space at</li> </ul>
ANIMAL NEEDS Intake area Animal housing area #Rooms: # Sq. Ft.: Adequate space to separate species Adequate space for vet clinic (separate, quiet room with hot & cold water, exam table space) Vet clinic space can accommodate supplemental lighting (has electrical outlets) Space to bathe/clean animals Floor drains Sinks Space for Sanitation ( <i>to clean cages, bowls</i> ) Floor drains Sinks/large area for tubs Space for daily animal food storage Space for warehousing/donations <b>STAFF/VOLUNTEER NEEDS</b> Bathrooms - #: Showers - #:	<ul> <li>Yes</li> </ul>	<ul> <li>No</li> </ul>	<ul> <li>Unk/NA</li> </ul>	Portable bathrooms Outside space for portable bathrooms Trash cans (#Inside#Outside) Dumpster - #: VII. ACCESS Easy access and exit for staff Easy access and exit for public with animals Easy access and exit for animal transport vehicles Adequate parking (MINIMUM 20 spots) Ability for public to access building separately from staff (n required) Restrooms for public use away from animal sheltering spattarge truck/trailer access Loading dock or bay Roll up or large doors for deliveries Handicap accessible VIII. SECURITY Ability to shut all doors with NO impacts to air flow Ability to lock all exterior doors Lockable supply room Describe Security Considerations - For safety of the public of security: number of security personnel that may be needed, ov	<ul> <li>Yes</li> </ul>	<ul> <li>No</li> </ul>	<ul> <li>Unk/NA</li> </ul>
ANIMAL NEEDS Intake area Animal housing area #Rooms: # Sq. Ft.: Adequate space to separate species Adequate space for vet clinic (separate, quiet room with hot & cold water, exam table space) Vet clinic space can accommodate supplemental lighting (has electrical outlets) Space to bathe/clean animals Floor drains Sinks Space for Sanitation ( <i>to clean cages, bowls</i> ) Floor drains Sinks/large area for tubs Space for daily animal food storage Space for warehousing/donations <b>STAFF/VOLUNTEER NEEDS</b> Bathrooms - #: Showers - #: Hand washing facilities	<ul> <li>Yes</li> </ul>	<ul> <li>No</li> </ul>	<ul> <li>Unk/NA</li> </ul>	Portable bathrooms Outside space for portable bathrooms Trash cans (#Inside#Outside) Dumpster - #: VII. ACCESS Easy access and exit for staff Easy access and exit for public with animals Easy access and exit for animal transport vehicles Adequate parking (MINIMUM 20 spots) Ability for public to access building separately from staff (n required) Restrooms for public use away from animal sheltering spattarge truck/trailer access Loading dock or bay Roll up or large doors for deliveries Handicap accessible VIII. SECURITY Ability to shut all doors with NO impacts to air flow Ability to lock all exterior doors Lockable supply room Describe Security Considerations - For safety of the public of security: number of security personnel that may be needed, ov entry to manage crowd control, perimeter fencing or space to erec	<ul> <li>Yes</li> </ul>	<ul> <li>No</li> </ul>	<ul> <li>Unk/NA</li> <li>Excribe type res, space at</li> </ul>
ANIMAL NEEDS Intake area Animal housing area #Rooms: # Sq. Ft.: Adequate space to separate species Adequate space for vet clinic (separate, quiet room with hot & cold water, exam table space) Vet clinic space can accommodate supplemental lighting (has electrical outlets) Space to bathe/clean animals Floor drains Sinks Space for Sanitation ( <i>to clean cages, bowls</i> ) Floor drains Sinks/large area for tubs Space for daily animal food storage Space for warehousing/donations <b>STAFF/VOLUNTEER NEEDS</b> Bathrooms - #: Showers - #: Hand washing facilities Separate rest/rehab area	<ul> <li>Yes</li> </ul>	<ul> <li>No</li> </ul>	<ul> <li>Unk/NA</li> </ul>	Portable bathrooms Outside space for portable bathrooms Trash cans (#Inside#Outside) Dumpster - #: VII. ACCESS Easy access and exit for staff Easy access and exit for public with animals Easy access and exit for animal transport vehicles Adequate parking (MINIMUM 20 spots) Ability for public to access building separately from staff (n required) Restrooms for public use away from animal sheltering spattarge truck/trailer access Loading dock or bay Roll up or large doors for deliveries Handicap accessible VIII. SECURITY Ability to shut all doors with NO impacts to air flow Ability to lock all exterior doors Lockable supply room Describe Security Considerations - For safety of the public of security: number of security personnel that may be needed, ov entry to manage crowd control, perimeter fencing or space to erec	<ul> <li>Yes</li> </ul>	<ul> <li>No</li> </ul>	<ul> <li>Unk/NA</li> </ul>
Adequate space to separate species Adequate space for vet clinic (separate, quiet room with hot & cold water, exam table space) Vet clinic space can accommodate supplemental lighting (has electrical outlets) Space to bathe/clean animals Floor drains Sinks Space for Sanitation (to clean cages, bowls) Floor drains	<ul> <li>Yes</li> </ul>	<ul> <li>No</li> </ul>	<ul> <li>Unk/NA</li> </ul>	Portable bathrooms Outside space for portable bathrooms Trash cans (#Inside#Outside) Dumpster - #: VII. ACCESS Easy access and exit for staff Easy access and exit for public with animals Easy access and exit for animal transport vehicles Adequate parking (MINIMUM 20 spots) Ability for public to access building separately from staff (n required) Restrooms for public use away from animal sheltering spattarge truck/trailer access Loading dock or bay Roll up or large doors for deliveries Handicap accessible VIII. SECURITY Ability to shut all doors with NO impacts to air flow Ability to lock all exterior doors Lockable supply room Describe Security Considerations - For safety of the public of security: number of security personnel that may be needed, ov entry to manage crowd control, perimeter fencing or space to erec	<ul> <li>Yes</li> </ul>	<ul> <li>No</li> </ul>	<ul> <li>Unk/NA</li> <li>Excribe type res, space at</li> </ul>

## PRE-DISASTER EMERGENCY ANIMAL SHELTER ASSESSMENT FORM

For Rapid Evaluation of Emergency Shelter Locations Before Disasters

## IX. ESTIMATED CAPACITY Large Crate/Dog Capacity: Small Crate/Cat Capacity: (3x2.5 foot crates, not stacked, 12 inches apart, space for walking aisles between crates) space for walking aisles between crates) X. POSSIBLE ANIMAL SHELTER TYPE What type of animal shelter could this facility be? (You can select more than one option) Co-located Shelter—Human shelter and animal shelter are in separate buildings and are close by. Non-co-located Shelter—Humans and animal shelter close by. Cohabitation Shelter—Humans and animals share the same building or shelter space. In shared space, is there the ability to have 8 foot spacing between family/pet groups Yes No VI. FACILITY DESCRIPTION AND LAYOUT (DRAWING)